

# ACCESSORIES

CATALOGUE 2023



TMS



EMG



BFB



EEG



PSG



Degmed  
LABORATORI



# ABOUT US

The company was founded in 1997 and its first product was developing a 32 channel EEG device which was completed and sold in 1998. In the following years additional neurology products have been developed including EMG, PSG and TMS devices. The initial sales were to the Czech Republic but soon thereafter were offered in international markets. Due to the high level of innovation and modern design of the products, Deymed has become an established worldwide leader in Neurology for both clinical and research applications.

Therapeutic devices have also been a significant part of the product portfolio including EEG Biofeedback and repetitive magnetic stimulators for depression. Deymed strives to continuously improve on and advance their products in a way that brings new possibilities to its users. High signal quality, ease of use, portability and reliability are the hallmarks of Deymed systems.



**TruScan<sup>®</sup> EEG**  
EEG / EP / LTM | SYSTEM


# EEG Recording Caps

## FlexiCap

Electrodes placed according to the standard 10-20, and also contain the reference and ground electrode. All wires on outside of cap.

**UP:** Cables attached to the top - suitable for recording a patient while lying down.

**Infant FlexiCAP** with 9 el. includes F1, F2, C3, C4, O1, O2, T3, T4, Cz + PG & REF.

Sizes	Head circumference			Number of electrodes					
	Min (cm)	Max (cm)		9	21	32	64	128	
Large	59	63	PN:		62-330	62-535	62-530	62-580	
Medium	55	59			62-320	62-525	62-520		
Small	51	55			62-310	62-515			
Extra Small	47	51			62-300	62-505			
UP Large	59	63			62-305				
UP Medium	55	59			62-315				
UP Small	51	55			62-325				
UP Extra small	47	51			62-335				
Infant IC3	43	47			62-225	62-220			
Infant IC2	39	43			62-215	62-210			
Infant IC1	32	39		62-205	62-200				

## FlexiCap TMS

Removable electrodes with low profile and special design for use with TMS system. Separate electrodes for PG + REF included.

Sizes	Head circumference			Number of electrodes				
	Min (cm)	Max (cm)		19	32	64	128	256
Large	59	63	PN:	62-407	62-403	62-412	62-422	62-432
Medium	55	59		62-406	62-402	62-411	62-421	
Small	51	55		62-405	62-401	62-410	62-420	
Extra Small	47	51		62-404	61-400			



## Support Headcaps for Bridge Electrodes

Made of soft, elastic, colored and wear-resistant materials.  
Chin holder and ear pads are included in the package.



Size	Bands	Band Diameter	Qty	P/N
Pediatric	4	4 mm	1	97-410
Adult Large	2	4 mm	1	97-411
Adult Large	4	4 mm	1	97-412
Adult Small	2	4 mm	1	97-413
Adult Small	4	4 mm	1	97-414
Pediatric	2	4 mm	1	97-415
Pediatric	2	2 mm	1	97-416
Pediatric	4	2 mm	1	97-417
Neonatal	1	2 mm	1	97-418

## Bridge electrode for silicone headcaps

Screw system suitable for the correct adjustment of the electrode on the scalp. Universal connector suitable for 2 mm spring pin.

Material	Size	Color	Qty	P/N
Ag/AgCl	peadiatric	yellow	1 pck (10 pcs)	97-424
Ag/AgCl	adult	blue	1 pck (10 pcs)	97-425
Ag/AgCl	adult	red	1 pck (10 pcs)	97-426

Set of special tissue covering discs 1 pck (100 pcs) 97-450



## Connection cables for silicone headcaps 1,2 m

Set of 10 pcs 5 color mix (120 cm long 1,5 mm DIN to 2 mm spring connector)

Length	Qty	P/N
120 cm	1 pck (10 pcs)	97-440



## Bridge electrode bowl

Qty	P/N
1	97-427



## Recording Cap Accessories

### Body harness

Adjustable elastic band that fastens around the patient's chest, to hold the EEG Cap securely in place.

Size	Color	P/N
50 cm	yellow	64-000
80 cm	red	64-010
120 cm	blue	64-020



### EEG cap straps

Adjustable elastic band that connects the cap to the chest strap.

Size / Type	P/N
pair, L (blue)	63-325
pair, M (red)	63-320
pair, S (yellow)	63-315
pair, XS (green)	63-310
Cap strap under the chin	63-330



### Disposable sponge disks: for EEG cap, 100 pcs pack

Foam with adhesive backing used on the forehead or on any other hairless areas.

Color	Qty	P/N
White	1 pck (100 pcs)	90-800



### Set for EEG gel application

Contains 20 ml syringe and 4 x reusable plastic blunted needles for application of EEG gel.

Qty	P/N
1 set	45-515



### Blunt needle

Set of blunted plastic needles for the application of EEG gel. Blunted needles are especially children friendly due to colorful plastic materials.

Description	Color	Qty	P/N
Disposable	yellow	1 pck (50 pcs)	91-055
Reusable	orange	1 pck (10 pcs)	91-060



## Quick insert electrode for EEG cap

The Quick Insert Electrode is a temporary electrode which will override the cap wiring in the event of a faulty electrode during a test. A Quick Insert Electrode may be placed into the mount of the faulty electrode and connected directly to the EEG machine until the cap can be properly repaired.



Lead Length	P/N
150 cm	63-300

## Headbox protection ribbon cable for cap connection

Wear & Tear Ribbon Cable connects the recording cap and headbox. (ribbon reduces wear on headbox).

Size	P/N	Size	P/N
10 cm	45-600	100 cm	45-700
50 cm	45-650	150 cm	45-800



## Y reduction

Splitters and Y reduction with the Touch-Proof 1.5 mm from male (M) to female (F).

Type	P/N	Type	P/N
1M-3F	63-500	1M-4F	63-522
1M-2F	63-510	1M-5F	63-523
2M-1F	63-512	2M-2F	63-525
2M-4F	63-520	3M-1F	63-530



## Recording Paste and Gel

### EEG electroconductive gel NeuGEL

Recording gel specifically formulated to lower skin impedance.

Size	Qty	P/N
500 ml	1	68-000
1000 ml	1	68-005
3850 ml	1	68-010



### CapKleen - cleaning detergent for EEG caps

Mild cleaning detergent used to clean EEG recording caps and their accessories.

Size	Qty	P/N
1000 ml	1	68-100





## Nuprep Skin Prep Gel

Nuprep Skin Prep Gel effectively lowers impedance to improve your tracings. Its mild abrasive formula improves conductivity and helps achieve maximum efficiency with an EEG recording.



Size	Qty	P/N
114 g (4 oz)	1	90-600

## Ten20 Conductive Paste

Paste helps with adhesiveness and conductivity, enabling the electrodes to remain in place while allowing the transmittance of electrical signals.



Size	Qty	P/N
228 g (8 oz)	1	90-500
114 g (4 oz)	1	90-510

## Recording Electrodes

### Pair of ear electrodes Sn (Tin), plastic clips

Features a DIN connector and is compatible with all recording gels. Cable is 1.5 meters long. 1.5 mm Touch-Proof connector.

Material	Color	Qty	P/N
Sn (Tin)	white	1 pair	63-100
Sn (Tin)	yellow	1 pair	63-101
Sn (Tin)	green	1 pair	63-102
Sn (Tin)	blue	1 pair	63-103
Sn (Tin)	red	1 pair	63-104



### Adhesive electrode pads (package of 100)



Fixing pads for cup electrodes 100 pack.

Qty	P/N
1 pck (100 pcs)	90-810



## Disc electrodes 9mm Sn (tin)

Reusable EEG recording electrode. Cable is 1.5 meters long, 1.5 mm TP connector.

Material	Color	Qty	P/N
Sn (Tin)	blue 	1	63-003
Sn (Tin)	mix 	5	63-005
Sn (Tin)	mix 	10	63-006
Sn (Tin)	mix 	25	63-007
Ag (Silver)	blue 	1	63-013
Ag (Silver)	mix 	5	63-015
Ag (Silver)	mix 	10	63-016
Ag (Silver)	mix 	25	63-017
Ag/AgCl	blue 	1	63-023
Ag/AgCl	mix 	5	63-025
Ag/AgCl	mix 	10	63-026
Ag/AgCl	mix 	25	63-027
Au (Gold plated) blue 		1	63-033
Au (Gold plated) mix 		5	63-035
Au (Gold plated) mix 		10	63-036
Au (Gold plated) mix 		25	63-037



## ECG electrode plastic clip Ag-AgCl or Sn

Connector Touch-Proof 1.5 mm, cable is 1.5 meters long.

Material	Color	Qty	P/N
Sn (Tin)	red	1	63-450
Sn (Tin)	yellow	1	63-451
Ag-AgCl	red	1	63-455
Ag-AgCl	yellow	1	63-456



## Wrist band electrode Sn (Tin)

A strap is wrapped around the patients wrist and attached with velcro.

Material	Color	Qty	P/N
Sn (Tin)	red	1	63-400
Sn (Tin)	yellow	1	63-401






TruTrace<sup>®</sup> EMG  
NCS / EMG / EP | SYSTEM

# Deymed Stimulation / Recording Electrodes

## Bar electrode

Made from stainless steel or felt pads with removable handle.  
Cathode position is indicated by dot. 5 pin DIN or TP connector.


Type	Connector	Spacing	Use	P/N
Flat	5 pin DIN	30 mm	Rec only	67-100
		23 mm		67-110
		30 mm	Stim only	67-102
		23 mm		67-112
	3x TP	30 mm	Rec only	67-103
		30 mm		67-105
Conical	5 pin DIN	23 mm	Stim only	67-151
Felt pad		23 mm		67-202
Spare felt pads for stimulation electrode				67-205



## Ring electrode

Used for sensory nerve stimulation or recording. Shielded: 1 m cable, 5 pin DIN connector.

Description	Use	Qty	P/N
Ring Electrode	Rec only	1	97-200



## Surface reusable electrode

Reusable stainless steel electrodes for surface recording, shielded: 1 m long cable, 5 pin DIN connector.


Description	Use	Qty	P/N
2x Metal disc	Rec only	1	67-300



## Cable for pre-gelled electrodes 5pin DIN, crocodile

Reusable stainless steel electrodes for surface recording, shielded. 5 pin DIN connector.


Alligator Clips	Cable Length	Use	Qty	P/N
2x (black, red)	1 m	Rec only	1	67-400
2x (black, red)	2 m	Rec only	1	67-410
3x (black, red, green)	1 m	Rec only	1	67-405
3x (black, red, green)	2 m	Rec only	1	67-415



## Cable for pre-gelled electrodes 5pin DIN, 0.7 TP

Shielded cable with 5 pin DIN connector, with 3/2 x 0.7 mm TPC.

Description	Cable Length	Use	Qty	P/N
2x TP	1 m	Rec only	1	97-110
2x TP	1.5 m	Rec only	1	97-120
2x TP	2 m	Rec only	1	97-100
3x TP	1 m	Rec only	1	97-106
3x TP	2 m	Rec only	1	97-105




## Pre-gelled Disposable Surface Electrodes

### Disposable adhesive electrodes Spes Medica

Easy to reposition Ag-AgCl pre-gelled tab electrodes that don't leave a gel residue.


Description	Size	Qty	P/N
Spes Medica	22 x 34 mm	1 pck (100 pcs)	97-460



### Disposable pregelled surface electrodes Friendship and AMBU

Material Ag-AgCl, 0.7 mm TPC.

Description	Size	Qty	P/N
Friendship	22 x 30 mm	1 pck (12 pcs)	97-153
AMBU (Medtronic)	22 x 30 mm	1 pck (12 pcs)	97-000



## Deymed Ground Electrodes

### Grounding wrist electrode

Cable length 1 or 2 m, 1.5 mm Touch-Proof connector.

Description	Cable length	Size	P/N
With cable	1 m	1.5 x 25 cm	97-300
With cable	1 m	1.5 x 40 cm	97-310
With cable	1 m	1.5 x 70 cm	97-320
With cable	2 m	1.5 x 25 cm	97-302
With cable	2 m	1.5 x 40 cm	97-312
With cable	2 m	1.5 x 70 cm	97-322
Without cable		1.5 x 25 cm	97-301
Without cable		1.5 x 40 cm	97-311
Without cable		1.5 x 70 cm	97-323
Just cable	1 m		97-316
Just cable	2 m		97-318



### Grounding disk electrode

Cable length 1.5 m, 1.5 mm Touch-Proof connector.


Description	Size	Qty	P/N
Polished Stainless Steel	22 x 30 mm	1	97-505



## Disposable Needle Electrodes


### Disposable concentric needle electrodes Technomed

Size	Color	Qty	P/N
25 x 0.30 mm	red	1 pck (25 pcs)	96-633
25 x 0.40 mm	yellow	1 pck (25 pcs)	96-643
37 x 0.45 mm	green	1 pck (25 pcs)	96-673
50 x 0.45 mm	blue	1 pck (25 pcs)	96-683
75 x 0.60 mm	purple	1 pck (25 pcs)	96-693




### Myoline - Disposable concentric needle electrodes Spes Medica

Size	Color	Qty	P/N
25 x 0.30 mm	purple	1 pck (25 pcs)	96-771
30 x 0.35 mm	red	1 pck (25 pcs)	96-801
40 x 0.35 mm	grey	1 pck (25 pcs)	96-811
30 x 0.45 mm	orange	1 pck (25 pcs)	96-831
50 x 0.45 mm	yellow	1 pck (25 pcs)	96-851
60 x 0.50 mm	blue	1 pck (25 pcs)	96-861
40 x 0.45 mm	black	1 pck (25 pcs)	96-841
75 x 0.60 mm	brown	1 pck (25 pcs)	96-871



### Disposable EMG concentric needle electrodes Friendship

Size	Color	Qty	P/N
25 x 0.30 mm	orange	1 pck (25 pcs)	97-606
25 x 0.35 mm	green	1 pck (25 pcs)	97-616
38 x 0.45 mm	blue	1 pck (25 pcs)	97-626
50 x 0.50 mm	red	1 pck (25 pcs)	97-636
75 x 0.65 mm	yellow	1 pck (25 pcs)	97-646



### Concentric needle electrodes Ambu Neuroline

Size	Color	Qty	P/N
25 x 0.30 mm, 30G	white	1 pck (25 pcs)	96-150
25 x 0.45 mm, 26G	grey	1 pck (25 pcs)	96-151
30 x 0.35 mm, 28G	purple	1 pck (25 pcs)	96-152
38 x 0.45 mm, 26G	green	1 pck (25 pcs)	96-153
50 x 0.45 mm, 26G	yellow	1 pck (25 pcs)	96-154
75 x 0.65 mm, 23G	red	1 pck (25 pcs)	96-155



## Disposable EMG needle electrode BIONEN


Size	Color	Qty	P/N
25 x 0.46 mm, 26G	black	1 pck (25 pcs)	96-450
30 x 0.46 mm, 26G	green	1 pck (25 pcs)	96-451
37 x 0.46 mm, 26G	blue	1 pck (25 pcs)	96-452
45 x 0.46 mm, 26G	yellow	1 pck (25 pcs)	96-453
50 x 0.46 mm, 26G	grey	1 pck (25 pcs)	96-454
65 x 0.46 mm, 26G	white	1 pck (25 pcs)	96-455
25 x 0.30 mm, 30G	red	1 pck (25 pcs)	96-456
25 x 0.35 mm, 28G	grey	1 pck (25 pcs)	96-457
30 x 0.35 mm, 28G	white	1 pck (25 pcs)	96-458



## Reusable Needle Electrodes

### Reusable concentric needle electrodes Spes Medica

Size	Color	Qty	P/N
30 x 0.35 mm	red	1 pck (10 pcs)	96-920
40 x 0.35 mm	grey	1 pck (10 pcs)	96-930
50 x 0.35 mm	green	1 pck (10 pcs)	96-940
60 x 0.50 mm	blue	1 pck (10 pcs)	96-980
50 x 0.45 mm	yellow	1 pck (10 pcs)	96-970
75 x 0.60 mm	brown	1 pck (10 pcs)	96-990
40 x 0.45 mm	black	1 pck (10 pcs)	96-960





## Cables for Reusable / Disposable Needle Electrodes

### Cable for EMG concentric needle electrodes

Description	Length	Qty	P/N
Technomed	2 m	1	96-607
Technomed	1.25 m	1	96-606
Spes Medica	1 m	1	96-885
Friendship	1.2 m	1	97-656
Friendship	2 m	1	97-660
Ambu	1 m	1	96-161
Ambu	2 m	1	96-162
BIONEN	1 m	1	96-459
BIONEN	1.5 m	1	96-460



## Disposable Monopolar Needle Electrodes


### Disposable monopolar needle electrodes Technomed

Size	Color	Qty	P/N
25 x 0.35 mm	red	1 pck (25 pcs)	96-250
25 x 0.45 mm	yellow	1 pck (25 pcs)	96-255
37 x 0.35 mm	orange	1 pck (25 pcs)	96-260
37 x 0.45 mm	green	1 pck (25 pcs)	96-265
50 x 0.45 mm	blue	1 pck (25 pcs)	96-270
75 x 0.45 mm	purple	1 pck (25 pcs)	96-275



### Disposable monopolar needle electrodes Spes Medica


Size	Color	Qty	P/N
15 x 0.35 mm	black	1 pck (25 pcs)	96-280
25 x 0.35 mm	red	1 pck (25 pcs)	96-281
37 x 0.35 mm	orange	1 pck (25 pcs)	96-282
37 x 0.45 mm	green	1 pck (25 pcs)	96-283
50 x 0.45 mm	blue	1 pck (25 pcs)	96-284
75 x 0.45 mm	purple	1 pck (25 pcs)	96-285



## Sterilized Disposable Needle Electrodes for application of Botulinum Toxin


### Disposable hypodermic needle electrodes Technomed

Size	Color	Qty	P/N
25 x 0.30 mm	red	1 pck (10 pcs)	96-200
25 x 0.40 mm	yellow	1 pck (10 pcs)	96-205
37 x 0.40 mm	orange	1 pck (10 pcs)	96-210
37 x 0.45 mm	green	1 pck (10 pcs)	96-215
50 x 0.50 mm	blue	1 pck (10 pcs)	96-220
75 x 0.70 mm	purple	1 pck (10 pcs)	96-225




### Miobot - Disposable hypodermic needles for Botulinum toxin injection Spes Medica

Size	Color	Qty	P/N
25 x 0.30 mm	blue	1 pck (10 pcs)	96-400
25 x 0.40 mm	green	1 pck (10 pcs)	96-405
37 x 0.45 mm	pink	1 pck (10 pcs)	96-410
50 x 0.45 mm	white	1 pck (10 pcs)	96-415
75 x 0.70 mm	grey	1 pck (10 pcs)	96-420



### Disposable EMG botox needle electrodes Friendship

Size	Qty	P/N
25 x 0.30 mm	1 pck (15 pcs)	96-240
25 x 0.35 mm	1 pck (15 pcs)	96-241
30 x 0.40 mm	1 pck (15 pcs)	96-242
38 x 0.45 mm	1 pck (15 pcs)	96-243
50 x 0.50 mm	1 pck (15 pcs)	96-244
75 x 0.65 mm	1 pck (15 pcs)	96-245



## Deymed Recording Electrodes

### Disc electrodes 9mm Sn (tin)

Reusable EEG recording electrode. Cable is 1.5 meters long, 1.5 mm TP connector.

Material	Color	Qty	P/N
Sn (Tin)	blue 	1	63-003
Sn (Tin)	mix 	5	63-005
Sn (Tin)	mix 	10	63-006
Sn (Tin)	mix 	25	63-007
Ag (Silver)	blue 	1	63-013
Ag (Silver)	mix 	5	63-015
Ag (Silver)	mix 	10	63-016
Ag (Silver)	mix 	25	63-017
Ag/AgCl	blue 	1	63-023
Ag/AgCl	mix 	5	63-025
Ag/AgCl	mix 	10	63-026
Ag/AgCl	mix 	25	63-027
Au (Gold plated) blue 		1	63-033
Au (Gold plated) mix 		5	63-035
Au (Gold plated) mix 		10	63-036
Au (Gold plated) mix 		25	63-037



### Adhesive electrode pads (package of 100)

Fixing pads for cup electrodes.

Color	Qty	P/N
White	1 pck (100 pcs)	90-810



## Recording Paste and Gel

### Nuprep Skin Prep Gel

Nuprep Skin Prep Gel effectively lowers impedance to improve your tracings. Its mild abrasive formula improves conductivity and helps achieve maximum efficiency with an EEG recording.



Size	Qty	P/N
114 g (4 oz)	1	90-600

### Ten20 Conductive Paste

Paste helps with adhesiveness and conductivity, enabling the electrodes to remain in place while allowing the transmittance of electrical signals.



Size	Qty	P/N
228 g (8 oz)	1	90-500
114 g (4 oz)	1	90-510

### Elefix conductive paste

EEG electroconductive paste Elefix is highly conductive and specially developed for sticking electrodes to the skin without additional adhesive discs. Elefix can be used with all surface applied electrodes. 400g.



Size	Qty	P/N
400 g (14.1 oz)	1	90-620

## Deymed Splitter Electrodes

### Y reduction

Splitters and Y reduction with the Touch-Proof 1.5 mm from male (M) to female (F).

Type	P/N	Type	P/N
1M-3F	63-500	1M-4F	63-522
1M-2F	63-510	1M-5F	63-523
2M-1F	63-512	2M-2F	63-525
2M-4F	63-520	3M-1F	63-530



## EMG Thermometer

### TruTrace thermistor

For use with TruTrace EMG to measure skin temperature in NCS recordings.

Description	Qty	P/N
Therm	1	43-730



## Other

### Reduction 5pin DIN

Reduction adapter to allow Touch-Proof cables to be used with TruTrace Electrical Stimulator. TP M to 5pin DIN.

Description	Lead length	Qty	P/N
M - 2x TP M	5 cm	1	63-535
M - 2x TP M, shielded	1.5 m	1	67-440



### Tremor Sensor

Active MEMS accelerometer for use in Tremor or Back Averaging studies.

Description	Qty	P/N
Accelerometer	1	43-745





**SomniPro®** ((PSG))  
PSG / EEG / LTM | SYSTEM

# PSG Accessories

## Nasal + Oral pressure monitoring cannula

Cannulas provide flexible, narrow tubing to increase overall accuracy of the pressure flow signals. Designed for patient comfort.

Description	Qty	P/N
Adult, 7 Ft	1	69-145
Pediatric, 2 Ft	1	69-146



## Piezo snore sensor

This durable and low profile microphone offers a wide frequency range, and sensitivity to other respiratory sounds besides snoring.

Description	Qty	P/N
2 x TP connector	1	69-120



## DC Body position sensors

Using a gravity switch, the Body Position Sensor provides a signal that is directly proportional to the patients sleeping posture (supine, prone, left, right or sitting). Velcro tab mounts to an included belt.

Description	Qty	P/N
2 x TP connector	1	69-130



## Thermal flow sensor

Stay-put Prongs position the sensors precisely in airflow path while an adjustable loop wraps around the head to keep unit in place.

Description	Size	Qty	P/N
2 x TP connector	Children	1	69-140
2 x TP connector	Adult	1	69-141



## Inductive interface cable

Inductive Interface Cables allow you to connect any SleepSense Inductive Belt.

Connector	Description	Qty	P/N
2x TP connector	Abdomen	1	69-230
2x TP connector	Chest	1	69-240



## Semi reusable inductive belts (white/blue)

Machine washable, sterilizable, autoclavable RIP belt.

Size	Qty	P/N
Child Extra Small	1 pck (2 pcs)	69-200
Child Small	1 pck (2 pcs)	69-205
Child	1 pck (2 pcs)	69-210
Adult L	1 pck (2 pcs)	69-215
Adult XL	1 pck (2 pcs)	69-220
Adult XXL	1 pck (2 pcs)	69-225



## Reusable soft pulse oximeter sensors SpO2

Reusable sensors for patients of many sizes and clinical presentations.

Size	Dimension	Qty	P/N
Small	7.5 - 12.5 mm	1	95-720
Medium	10 - 19 mm	1	95-730
Large	12.5 - 26.5 mm	1	95-740



## FlexiWrap single use sensor wrap

Size	Qty	P/N
Adult	1 pck (25 pcs)	95-755
Infant	1 pck (25 pcs)	95-756



## Reduction PSG

Short cables to connect Deymed 3 PIN connector to standard TP connector

Description	Qty	P/N
Bipolar 1x 3 PIN - 2x TP	1	69-300
Body position 1x 3 PIN - 2x TP	1	69-305
Snore + thermo 1x 3 PIN - 4x TP	1	69-310
Abdomen + thorax 1x 3 PIN - 4x TP	1	69-315
A1 + A2 1x 3 PIN - 2x TP	1	69-320



Set for PSG LT headbox	Set of 9 pcs	69-330
Set for PSG RS headbox	Set of 10 pcs	69-340





DuoMAG<sup>®</sup> TMS  
MAGNETIC | STIMULATION

# TMS Accessories

## Grounding wrist electrode

Cable length 1 or 2 m, 1.5 mm Touch-Proof connector.


Description	Cable length	Size	P/N
With cable	1 m	1.5 x 25 cm	97-300
With cable	2 m	1.5 x 25 cm	97-302
With cable	1 m	1.5 x 40 cm	97-310
With cable	2 m	1.5 x 40 cm	97-312



## Cable for pre-gelled electrodes 5pin DIN, 0.7 TP

Shielded cable with 5 pin DIN connector, with 3/2 x 0.7 mm TPC.


Description	Cable Length	Use	Qty	P/N
2x TP	1 m	Rec only	1	97-110
2x TP	1.5 m	Rec only	1	97-120
2x TP	2 m	Rec only	1	97-100
3x TP	1 m	Rec only	1	97-106
3x TP	2 m	Rec only	1	97-105



## Disposable pregelled surface electrodes Friendship and AMBU

Material Ag-AgCl, 0.7 mm TPC.

Description	Size	Qty	P/N
Friendship	22 x 30 mm	1 pck (12 pcs)	97-153
AMBU (Medtronic)	22 x 30 mm	1 pck (12 pcs)	97-000



## TMS marking cap

Designed for easy and repeatable coil position determination.


Size	Qty	P/N
Adult	1	47-760
Junior	1	47-761
Skin Marker Pencil	1	93-200



## DuoMAG Marking Plate

Marker for I-DLPFC position determination based on the position of motor cortex.

Description	Qty	P/N
(5 cm) for 70BF-LQC coil	1	47-751
(6 cm) for 70BF-LQC coil	1	47-753
(6.5 cm) for 70BF-LQC coil	1	47-754
(5 cm) for 70BFX-LQC coil	1	47-755
(6 cm) for 70BFX-LQC coil	1	47-757
(6.5 cm) for 70BFX-LQC coil	1	47-758



TruTrace<sup>®</sup>EMG  
NCS/EMG/EP SYSTEM

The first ever battery powered EMG system offering contamination-free nerve conduction and needle EMG examination.



EMG

TruScan<sup>®</sup>EEG  
EEG/EP/LTM SYSTEM



Technically advanced EEG system built for demanding clinical and research use. The system can be configured as a portable, clinical or long term monitoring station.

EEG

DuoMAG<sup>™</sup> TMS  
MAGNETIC STIMULATION

rTMS stimulator with advanced therapy, research and diagnostic features.



TMS

SomniPro<sup>®</sup> (PSG)  
PSG/EEG/LTM SYSTEM



SomniPro PSG/EEG wireless device with HD camera allows clinical or research use.

PSG

BrainFeedback<sup>®</sup> BFB  
NEUROFEEDBACK SYSTEM

Clinical grade Neurofeedback system designed for clinicians wishing to use the highest standard for Neurotherapy.



BFB

## DEYMED Diagnostic s.r.o.

Kudrnáčova 533

549 31 Hronov

+420 491 481 038

[info@deymed.com](mailto:info@deymed.com)

[www.deymed.com](http://www.deymed.com)

**For more accessories,**  
please **contact us** by email or via the web form.

Please note that BrainFeedback BFB may not be classified as medical device in your country/region.

\*For users in the USA: BrainFeedback BFB is not available for sale in the United States.

\*For users in the EU: BrainFeedback BFB is not classified as medical device and cannot be used for any diagnosis or treatment.

\*For users in the USA: The DuoMAG is considered an investigational device. Limited by Federal (or United States) Law only to investigational use

Please note that this product may not be approved by regulatory authorities in your country/region.

For more information, please consult with us or our distributor.

For the Czech Republic:

Intended exclusively for healthcare professionals according  
to Czech Act No. 40/1995 Coll. on regulation of  
advertising as amended.

**Deymed**  
DIAGNOSTIC